

Kodak

Dental Extraoral Film Screen Combinations

Green-sensitive films and rare earth screens

KODAK Film	KODAK EKTAVISION Imaging Screens and LANEX Screens
Ektavision G screen-film speed 400	Provides high-contrast, sharp images for excellent detail when paired with Ektavision imaging screens. Application: panoramic, TMJ, cephalometric exams
Ektavision L screen-film speed 400	Provides wide latitude for excellent imaging of soft tissue areas of facial profile while providing good bone and tooth structure detail when used with Ektavision screens. Application: tomography, cephalometric exams
T-Mat G screen-film speed 400*	Provides high-contrast, detailed images of intervening tooth structures while retaining good soft tissue visibility when used with Lanex regular or medium screens. Application: panoramic, TMJ, cephalometric exams
T-Mat L screen-film speed 400*	Provides wide latitude for excellent imaging of soft tissue areas of facial profile while providing good bone and tooth structure detail when used with Lanex regular or medium screens. Application: cephalometric exams
T-Mat H screen-film speed 800**	Provides high-contrast images when used with Lanex or Ektavision screens. This film is suitable for double-film loading techniques, which yields 2 original radiographs from a single exposure. When using double loading techniques combined with Lanex regular screens, film system speed is 400. Application: panoramic, TMJ, cephalometric exams

*System speed when used with Lanex regular screens and one film. System speed when used with Lanex medium screens and one film is 250.

**System speed when used with Lanex regular screens and one film. System speed when used with Lanex medium screens and one film is 500.

Both the Ektavision imaging system and the T-Mat film with Lanex screen combination provide the added benefit of reduced radiation exposure to your patient by up to 50% as compared to conventional systems of comparable speed.

Blue-sensitive films and X-Omatic regular screens

KODAK Film	KODAK EKTAVISION Imaging Screens and LANEX Screens
X-Omat DBF screen-film speed 200	Provides excellent diagnostic detail when used with X-Omat regular intensifying screens. Application: panoramic, TMJ, cephalometric exams

If the systems are mixed (e.g., using Kodak T-Mat film with Kodak X-Omatic screens), loss of density and contrast will result and is not recommended.



Duplicating/Cleanup Films

KODAK X-OMAT Duplicating Film

Kodak X-Omat duplicating film reproduces most radiographs with excellent fidelity. This film, available in four sizes: 5 x 12 in, 15 x 30 cm, 8 x 10 in, or size 2 intraoral, can be processed manually or with an automatic processor. Intended for use with dental film duplicators.

KODAK Roller Transport Cleanup Film 4955

This film is designed for convenient cleaning of the transport mechanism in automatic roller film processors. This procedure can help to remove precipitates, dirt, and other materials that may be deposited on the transport mechanism. The film is double-sided so you can clean all roller surfaces with a single pass of each sheet. Conveniently packaged in a 50 sheet box.

KODAK Dental X-ray Beam Filter

This easy-to-install filter enables you to upgrade some conventional 200 speed panoramic equipment to use the Kodak Ektavision extraoral imaging system or Kodak T-Mat films with Kodak Lanex screens. These film/screen systems lower radiation exposure to patients and staff. The filter can also be used to facilitate use of high-speed, reduced-exposure intraoral x-ray films (such as Kodak InSight dental film) without costly adjustments to older equipment with slower timers. The pieces of filter material come with instructions for installation and use.



© Eastman Kodak Company, 2004.
Kodak, Ektavision, X-Omat, X-Omatic, T-Mat and Lanex
are trademarks of Eastman Kodak Company.

FOR MORE INFORMATION, CALL: 1-800-933-8031 (U.S.A.)
1-800-465-6325, EXT. 35147 (Canada) or visit www.kodak.com/go/dental
If you are outside of the U.S.A. or Canada, please call your local Kodak
company for more information.

N-411 CAT No. 815 4593